

BIOLOGICAL HEALTH RISKS
QUALITY OF LABORATORIESEXTERNAL QUALITY ASSESSMENT
VETERINARY DIAGNOSIS

PRELIMINARY REPORT
VETERINARY MEDICINE
CAPRIPOX (CAPX)
SEROLOGY AND VIROLOGY
SURVEY 2022/5

Expected results:

1. Serology**1.1 Serum****1.1.1 The samples**

The panel consisted of different of samples: 8 positive and 2 negative samples.

Sample ID	Repetition	Status
PT2022CAPXSERP1	1	POS
PT2022CAPXSERP2	1	POS
PT2022CAPXSERP3	1	POS
PT2022CAPXSERP4	1	POS
PT2022CAPXSERP5	1	POS
PT2022CAPXSERP6	1	POS
PT2022CAPXSERP7	1	POS
PT2022CAPXSERP8	1	POS
PT2022CAPXSERN1	1	NEG
PT2022CAPXSERN2	1	NEG

POS = positive; NEG = negative

1.1.2 Randomisation

Sample ID: CAPXSER	97506	97600	97602	97604	97605	97606	97607	97608	97609	97611
22-1	P4	P6	P4	P8	P5	P2	P4	P1	P5	P7
22-2	P1	P4	P5	P6	P6	P8	P7	N1	P7	P8
22-3	P2	P7	N1	P5	P4	P1	P8	P3	P8	P1
22-4	P3	P2	P8	N2	N1	P5	P1	P2	P6	P3
22-5	P5	P1	P1	N1	P2	N2	P3	P7	N2	N1
22-6	P8	P8	P3	P2	P7	N1	P6	P6	P4	P2
22-7	N1	P5	P2	P4	P1	P7	N1	P5	N1	P5
22-8	P6	N1	P6	P3	P3	P4	P2	P4	P3	P6
22-9	P7	P3	N2	P1	N2	P3	N2	P8	P1	P4
22-10	N2	N2	P7	P7	P8	P6	P5	N2	P2	N2

Sample ID: CAPXSER	97612	97613	97614	97615	97616	97617	97618	97619	97620	97621
22-1	P1	P7	P5	N2	N1	P3	P6	P4	P7	P1
22-2	P7	P2	P2	P3	P2	P4	P1	P2	N2	P6
22-3	N1	P4	P8	P2	P5	N1	P7	P1	P6	P5
22-4	P3	P8	N1	N1	N2	P8	P4	P6	N1	P2
22-5	P5	P1	P7	P4	P6	P5	P5	P7	P2	P4
22-6	P6	P3	P6	P6	P7	P1	N2	P5	P5	P8
22-7	N2	N2	N2	P1	P4	P7	P2	P3	P8	N2
22-8	P8	P6	P1	P8	P8	N2	P3	P8	P1	N1
22-9	P4	P5	P3	P5	P3	P6	N1	N1	P4	P7
22-10	P2	N1	P4	P7	P1	P2	P8	N2	P3	P3

Sample ID: CAPXSER	97622	97628	97630	97631	97632	97634	97637	97642	97643
22-1	P7	N2	N1	N2	P3	P8	P6	P7	P5
22-2	N1	N1	P1	P8	P2	P3	P3	N1	P7
22-3	P6	P4	P7	P4	P5	N1	N2	P1	N2
22-4	P1	P3	P6	P1	P8	P2	P2	P3	P4
22-5	P5	P1	P8	P6	P6	P4	N1	P4	P6
22-6	P8	P2	P4	P5	P4	P1	P8	P8	P1
22-7	P2	P7	P3	N1	P7	P6	P7	N2	P8
22-8	N2	P8	N2	P7	P1	N2	P1	P2	N1
22-9	P4	P6	P2	P2	N2	P5	P4	P5	P3
22-10	P3	P5	P5	P3	N1	P7	P5	P6	P2

2. Virology

2.1 Virus stock and tissue suspension

2.1.1 The samples

The panel consisted of different of samples: 9 positive samples and 1 negative sample.

Sample ID	Repetition	Status
PT2022CAPXVIRTP1	1	GTPV
PT2022CAPXVIRTP2	1	LSDV Wild
PT2022CAPXVIRTP3	1	SPPV Wild
PT2022CAPXVIRTP4	2	LSDV Wild
PT2022CAPXVIRVP1	1	LSDV
PT2022CAPXVIRVP2	1	LSDV Vac
PT2022CAPXVIRBP1	1	SPPV Vac
PT2022CAPXVIRBP2	1	LSDV Wild
PT2022CAPXVIRBN1	1	Neg

GTPV = goatpox virus; LSDV = lumpy skin disease virus; SPPV = sheeppox virus; NEG = negative

2.1.2 Randomisation

Sample ID: CAPXVIR	97506	97600	97601	97602	97603	97604	97605	97606	97607	97608
22-1	VP2	TP1	BN1	BP2	TP4	VP2	TP1	TP1	VP2	VP1
22-2	TP4	BP2	VP1	TP4	TP4	BN1	VP2	TP4	BP2	TP3
22-3	TP1	TP4	TP3	TP2	BP1	TP2	VP1	VP2	TP4	TP4
22-4	TP3	BN1	TP2	BN1	TP1	TP4	BP1	TP3	TP3	TP4
22-5	TP2	TP4	BP1	VP1	BN1	TP1	BN1	VP1	BN1	BP1
22-6	VP1	TP3	VP2	TP3	TP2	TP3	TP4	BN1	TP2	BN1
22-7	BN1	BP1	BP2	TP4	VP2	BP2	BP2	BP2	TP1	VP2
22-8	BP2	VP1	TP4	VP2	VP1	BP1	TP2	TP4	BP1	BP2
22-9	BP1	TP2	TP4	BP1	BP2	TP4	TP3	BP1	TP4	TP2
22-10	TP4	VP2	TP1	TP1	TP3	VP1	TP4	TP2	VP1	TP1

Sample ID: CAPXVIR	97609	97610	97611	97612	97613	97614	97616	97617	97618	97619
22-1	BN1	VP1	TP4	BP1	VP1	TP1	TP3	TP4	BP2	TP1
22-2	TP3	T4	BN1	BN1	BN1	BP2	TP1	TP4	TP3	VP1
22-3	VP1	TP1	VP2	TP4	BP1	VP1	TP4	BP2	TP1	TP4
22-4	TP4	BN1	VP1	VP2	TP4	BN1	TP2	TP1	VP2	VP2
22-5	BP1	VP2	TP2	TP2	TP2	TP2	VP2	BN1	BP1	TP3
22-6	TP1	TP4	BP1	TP3	TP4	TP3	TP4	VP2	TP4	TP4
22-7	TP4	BP1	TP1	TP1	TP3	VP2	BP1	VP1	BN1	BP1
22-8	TP2	BP2	BP2	TP4	TP1	TP4	BP2	TP3	VP1	BP2
22-9	VP2	TP2	TP4	VP1	BP2	TP4	BN1	BP1	TP2	TP2
22-10	BP2	TP3	TP3	BP2	VP2	BP1	VP1	TP2	TP4	BN1

Sample ID: CAPXVIR	97620	97621	97622	97624	97628	97630	97631	97632	97634	97636
22-1	TP1	TP4	BN1	BP1	TP1	BP2	TP4	TP3	BP2	TP4
22-2	TP4	TP1	TP1	TP4	BP1	TP4	TP3	TP4	BP1	BN1
22-3	BN1	VP1	BP2	TP3	VP2	VP1	TP1	VP1	VP2	BP1
22-4	BP1	BN1	TP4	TP4	BN1	BP1	VP1	TP1	VP1	VP1
22-5	VP2	VP2	TP4	BN1	TP2	TP1	VP2	VP2	TP4	TP4
22-6	TP4	TP4	VP1	BP2	TP3	BN1	TP4	BP1	TP2	TP2
22-7	VP1	TP2	TP3	VP1	TP4	TP2	TP2	BN1	TP1	TP3
22-8	TP3	BP2	BP1	VP2	VP1	VP2	BP1	TP2	TP4	TP1
22-9	BP2	TP3	VP2	TP2	TP4	TP4	BN1	TP4	TP3	VP2
22-10	TP2	BP1	TP2	TP1	BP2	TP3	BP2	BP2	BN1	BP2

Sample ID: CAPXVIR	97637	97642	97643
22-1	TP1	BN1	BP1
22-2	VP2	VP1	VP2
22-3	TP4	TP4	TP4
22-4	VP1	TP1	TP2
22-5	BP1	TP3	BN1
22-6	BN1	TP4	TP1
22-7	TP2	BP2	VP1
22-8	BP2	VP2	TP3
22-9	TP4	TP2	BP2
22-10	TP3	BP1	TP4

END

Authorization of the report: By Ynse Van de Maele, scheme coordinator
Sciensano – Service Quality of laboratories
J. Wytsmanstreet, 14 | 1050 Brussels
Tel.: 02/642 55 24 E-mail: Ynse.VandeMaele@sciensano.be

Date of publication: 22/06/2022

© Sciensano Brussels 2022.

This report may not be reproduced, published or distributed without the consent of Sciensano. The laboratories' individual results are confidential. They are not passed on by Sciensano to third parties. Nevertheless, the results of FASFC licensed laboratories are transferred to FASFC.